

DRG No
BL/D13074/01-03 INST

REMOVE ALL SHARP EDGES UNLESS SPECIFIED


THIRD ANGLE PROJECTION

DO NOT SCALE - ASK

USED ON -

DRAWING NUMBER	DESICCANT	INDICATOR CARD	MAX TEMPERATURE	MAX PRESSURE
BL/D13074/01	3-5MM NON INDICATING SILICA GEL	30-50% RH	AT 0 BAR PRESSURE 50°C	AT 40°C 15 BAR
BL/D13074/02	3-5MM MOLECULAR SEIVES 4A	15-30% RH	AT 0 BAR PRESSURE 50°C	AT 40°C 15 BAR
BL/D13074/03	3-5MM MOLECULAR SEIVES 13X	15-30% RH	AT 0 BAR PRESSURE 50°C	AT 40°C 15 BAR

THIS DRAWING IS THE PROPERTY OF BROWNELL LTD. AND MAY NOT BE COPIED OR REPRODUCED WITHOUT THEIR PRIOR WRITTEN PERMISSION



ORIGINAL		1	20/03/19
CHANGE	MOD No	ISSUE	DATE

MATERIAL 6082-T6 ALUMINIUM	PROTECTIVE FINISH BLACK ANODIZED	UNLESS OTHERWISE STATED	ANGULAR DIMS ± 0.5°	LINEAR DIMS 0 = ± 0.5 0.0 = ± 0.25 0.00 = ± 0.05	BROWNELL Ltd. LONDON NW10 7XF	RED DOT=ORIGINAL BLACK DOT=COPY	DRAWN DO	CHECKED
		SURFACE ROUGHNESS	3.2 μ m (N8)	TITLE INDICATING INLINE ALUMINIUM DESICCANT DRYER SIZE 1		DRAWING NUMBER BL/D13074/01-03		
EST. WT.	----	DIMENSIONS IN in/mm		mm	SCALE (ORIGINAL)			
				1:1				