According to Regulation (EC) No 1907/2006 (REACH)

BROWNELL L I M I T E D

Revision Date: 03.01.2017 **Print Date:** 03.01.2017

Trade Name: Brownell Limited **Product No:** Activated Alumina

Version No: MCS/114/MSDS - 02 / EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name or designation of Activated Alumina

the mixture

Registered numberNot availableSynonyms IssueActivated AluminaDate Version03rd January 2017

Number Revision 02

Date Supersedes 08th April 2011

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identifier uses Desiccant. Adsorbent for the chemical industry

Uses advised against No other uses are advised

1.3 Details of the supplier of the safety data sheet

Supplier Name Brownell Limited

Address Unit 2, Abbey Road Industrial Park,

Commercial Way

Park Royal London NW10 7XF

Country UK

 Telephone
 +44 (0) 208 965 9281

 Fax
 +44 (0) 208 965 3239

 Email
 info@brownell.co.uk

Contact Neil Partridge

Website www.brownell.co.uk

1.4 Emergency telephone number +44 (0) 20 8838 8408 – (08:00 – 17:00) office hours

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification apply.

Classification according to Regulation (EC) No. 1272/2008 as amended

This substance does not meet the criteria for classification according to the Regulation (EC) 1272/2008 as amended.

Physical hazard Not classified as a physical hazard. Human health hazard Not classified as a health hazard.

Environmental hazard Not classified as an environmental hazard.

According to Regulation (EC) No 1907/2006 (REACH)

Trade Name: Brownell Limited **Product No:** Activated Alumina

Version No: MCS/114/MSDS - 02 / EN



Revision Date: 03.01.2017 **Print Date:** 03.01.2017

Addition information Not applicable.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

Product identifierNot applicableHazard statementsNot applicablePrecautionary statementsNot applicableSupplemental hazardNot applicable

information

Special rules for Not applicable

supplemental label elements

for certain mixtures

Additional labeling Not applicable

2.3 Other hazards

According to regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

SECTION 3: Compostition/information on ingredients

3.1 Substances

Substance name	Aluminium Oxide >90%			
EINECS No	215-691-6			
REACH No	-			
CAS No	1344-28-1			

PurityNot ApplicableSynonymsAluminium OxideStabilisersNot ApplicableHazard ImpuritiesNot Applicable

3.2 Mixtures

Additional information Not applicable

SECTION 4: First Aid measures

General information If exposed or concerned, get medical advice/attention. Show this safety

data sheet to the doctor in attendance.

4.1 Description of first aid measures

Inhalation If dust from the material is inhaled, remove the affected person

immediately from the source of exposure to fresh air, seek medical

attention if symptoms develop or persist.

According to Regulation (EC) No 1907/2006 (REACH)

Trade Name: Brownell Limited **Product No:** Activated Alumina

Version No: MCS/114/MSDS - 02 / EN



Revision Date: 03.01.2017 **Print Date:** 03.01.2017

Skin contact Wash your skin thoroughly with soap and water, seek medication

attention if irritation develops and persists.

Eye Contact Do not rub eyes. Rinse affected eyes for at least 15 minutes under running

water with eyelids held open, seek medical attention if irritation develops

and persists.

Ingestion Rinse out mouth with water thoroughly and then drink plenty of water;

seek medical attention if symptoms develop.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No significant reaction of the human body to the product known.

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat according to symptoms (decontamination, vital functions), provide

general supportive measures and treat symptomatically. Keep victim

under observation.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing media most appropriate for the surrounding fire.

(Water, water spray, carbon dioxide, polymer foam and dry chemical

powder).

Unsuitable extinguishing

media

Not applicable and unused material will not burn.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion

products

No particular hazard known.

5.3 Advice for firefighters

Additional information Special protective equipment: wear self-contained breathing apparatus.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Dispose of fire debris and

contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental release measure

6.1 Personal precautions, protective equipment and emergency procedures.

For non-emergency personnel

Protective equipment Avoid inhalation of dust from the spilled material. Wear a dust mask if

dust is generated above exposure limits. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation.

Emergency procedures Keep unnecessary personnel away.

According to Regulation (EC) No 1907/2006 (REACH)

Trade Name: Brownell Limited **Product No:** Activated Alumina

Version No: MCS/114/MSDS - 02 / EN



Revision Date: 03.01.2017 **Print Date:** 03.01.2017

Discharge into the environment must be avoided. **6.2 Environmental precautions**

6.3 Methods and materials for containment and cleaning up

For containment Contain spillage and dispose of adsorbed material in accordance with

regulations.

Dampen and sweep up spillage to avoid the generation of dust during For cleaning up

clean-up and collect in suitable container for disposal.

6.4 Reference of other sections

Additional information For personal protection, see section 8 of the SDS. For waste disposal, see

section 13.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Protective measures

Advice on safe handling Avoid dust formation. Avoid inhalation of dust. Handle in accordance

with good industrial hygiene and safety practice.

Fire preventions

Aerosol and dust generation

preventions

Environment precautions

The product is not an oxidizer, not self-combustible and not explosive. Keep formation of airborne dusts to a minimum. Provide appropriate

exhaust ventilation at places where dust is formed.

No special environmental precautions required.

Advice on general

occupational hygiene

Observe good industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and

storage containers

rooms and vessels

Carbon steel (Iron), Low density polyethylene (LDPE), High density

polyethylene (HDPE).

Requirements for storage

All materials must be kept in a tightly sealed container and stored in a

cool and dry place.

Hints on storage assembly:

Storage class Not Available Not Applicable Materials to avoid

7.3 Specific end uses

Recommendations Not available

Specific end uses The specified uses for this material are shown in section 1 of the

document.

According to Regulation (EC) No 1907/2006 (REACH)



Revision Date: 03.01.2017 **Print Date:** 03.01.2017

Trade Name: Brownell Limited **Product No:** Activated Alumina

Version No: MCS/114/MSDS - 02 / EN

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

8.1.1 Occupational exposure limits:

UK. EH40 Workplace Exposure Limits (WELs)

Substance Name	EC-No.	CAS-No.	Type	Value	Occupational exposure limit value	
					Long Term	Short Term
Aluminium Oxide – Inhalable dust	215-691-6	1344-28-1	TWA	OES 10mg/m ³	8 Hours	-
Aluminium Oxide - Respirable dust	215-691-6	1344-28-1	TWA	OES 4mg/m ³	8 Hours	-

8.1.2 **Biological limits values** No biological exposure limits noted for the ingredient(s).

8.1.3 **Exposure limits at**

intended use

Not applicable

8.1.4 DNEL/PNEC-values

PNEC – Freshwater: 0.0749 mg/l, STP: 20 mg/l.

DNEL - Not available

8.1.5 Risk management measures according to

used control banding

approach

Not applicable

8.2 Exposure controls

8.2.1 Appropriate engineering

controls:

Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation

(dilution and local exhaust) and control of process conditions.

8.2.2 Personal protective equipment

Eye / Face protection:

Suitable eye protection Wear suitable eye protection (safety glasses with side shields)

e.g. EN 166 are recommended.

Skin protection:

Hand protection Suitable chemical resistant protective gloves e.g. EN 375 are

recommended.

Body protection Wear lab coat over normal work clothing (long sleeved shirts and long

pants) is recommended.

According to Regulation (EC) No 1907/2006 (REACH)

Trade Name: Brownell Limited

Version No: MCS/114/MSDS - 02 / EN

Product No: Activated Alumina



Revision Date: 03.01.2017 **Print Date:** 03.01.2017

Respiratory protection Wear suitable respiratory protection equipment, e.g. EN 143, 149, Type

P1 or FFP1) are recommended, if dust is foamed in a confined working

space.

Thermal hazards Not available 8.2.3 Environmental exposure Not available

controls

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: Solid beads Colour: White Odour: Odourless

pH 9.4 – 10.1 **Melting Point/** 2,030°C

Boiling Point 2,977°C @ 760mmHg

Flash Point Not Applicable
Evaporation rate Not available
Flammability (solid, gas) Non-flammable

Upper/lower flammability

or explosive limits

Upper explosive limitsNot ApplicableLower explosive limitsNot ApplicableVapour pressureNot ApplicableVapour density3.97 - 3.99 g/cm³Relative density3.97 - 3.99 g/cm³

Solubility(ies) Not applicable (not soluble)

Partition coefficient: Not available

n-octanol/water

Auto-ignition temperature Not available **Decomposition** Not available

temperature

Viscosity
Not available
Viscosity, dynamic
Not available
Viscosity, cinematic
Explosive properties
Oxidising properties
Not available
Not available

9.2 Other information:

Physical hazards

Explosives: Not available Flammable gases: Not applicable Not applicable Oxidising gases: Not available Gases under pressure: Not available

According to Regulation (EC) No 1907/2006 (REACH)

Trade Name: Brownell Limited **Product No:** Activated Alumina

Version No: MCS/114/MSDS - 02 / EN



Revision Date: 03.01.2017 **Print Date:** 03.01.2017

Flammable liquids: Not applicable
Flammable solids: Not applicable
Self-reactive substances
and mixtures

Not applicable
Not available

Pyrophoric liquids
Pyrophoric solids
Self-heating substances
Not available
Not applicable

and mixtures Substances or mixtures which, in contact with water emit flammable

gases

Oxidising liquids
Oxidising solids
Organic peroxides
Metal corrosion

Not available
Not available
Not available

SECTION 10: Stability and reactivity

10.1 Reactivity The product is stable and non-reactive under normal conditions of use,

storage and transport.

Not available

10.2 Chemical stability Material is stable under normal conditions.

10.3 Possibility of hazardous No hazardous reaction known under conditions of normal use. **reactions**

10.4 Conditions to avoid Avoid deposition of dust. Avoid dust formation.

10.5 Incompatible materials Substances to avoid: water and reducing agents.

10.6 Hazardous decomposition No hazardous decomposition products are known. **products**

SECTION 11: Toxicological information

11.1 Information on toxicological effects

11.1.1 Substances

Acute toxicity: Animal data

Substance	Effect dose / concentration	Value	Species
Acute oral toxicity	LD50	>10,000mg/kg	Rat
Acute dermal toxicity	LD50	-	-
Acute inhalation	LC50	>2.3mg/1 4h	Rat

Skin corrosion/irritationNo irritation on skin. **Eye damage/irritation**No irritation on eye.

According to Regulation (EC) No 1907/2006 (REACH)

Trade Name: Brownell Limited **Product No:** Activated Alumina

Version No: MCS/114/MSDS - 02 / EN



Revision Date: 03.01.2017 **Print Date:** 03.01.2017

Sensitisation to the respiratory

tract/skin

Germ cell mutagenicity Not mutagenic

CarcinogenicityNo indication of a carcinogenic effect to human.Reproductive toxicityNo indication of a fertility impairing effect.

Non-sensitisation

Specific target organ toxicity

(single exposure)

No specific target organ toxicity.

Specific target organ toxicity

(repeated exposure) Aspiration hazard The substance may cause damage to the lung after repeated inhalation of high doses. The product has not been fully tested.

No aspiration hazard expected.

Physical, chemical and toxicological characteristics

In case of ingestionNo data availableIn case of skin contactNo data availableIn case of inhalationNo data availableIn case of eye contactNo data available

11.1.2 Mixtures No data available

SECTION 12: Ecological information

12.1 Toxicity

assessment

Species	Test	Value	Units
Fish	96H LC50	>218.64mg/l	-
Daphnia	48H EC50	>100 mg/l	-
Algae	72H IC50	>100 mg/l	-

12.2 Persistence and degradability Not applicable for inorganic substances.

12.3 Bioaccumulative potential Significant accumulation in organisms in not to be expected.

12.4 Mobility in soil Adsorption in soil: Adsorption to solid phase is not expected.

12.5 Results of PBT and vPvB According to Annex XIII of regulation (EC) 1907/2006 concerning

the registration, evaluation, Authorisation and regulation of chemicals (REACH): Not applicable for inorganic substances.

12.6 Other adverse effects The substance is not listed in Annex I of Regulation (EC) 2037/2000

on substances that deplete the ozone layer.

According to Regulation (EC) No 1907/2006 (REACH)

Trade Name: Brownell Limited **Product No:** Activated Alumina

Version No: MCS/114/MSDS - 02 / EN



Revision Date: 03.01.2017 **Print Date:** 03.01.2017

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product / packaging disposal Dispose of as normal industrial waste.

Waste codes / waste designations

according to EWC/AVV

Packaging

Waste treatment options

This material is not classified as hazardous waste under EEC

Directive 91/689/EEC.

No data available

The UK Environmental Protection (Duty of Care) Regulations (EP)

and amendments should be noted (United Kingdom)

Dispose of in accordance with national, state and local regulations. Other disposal recommendations

SECTION 14: Transport information

14.1 UN No. Not classified as dangerous goods under the United Nations

Transport Recommendations.

Not applicable. 14.2 UN Proper Shipping name

14.3 Transport hazard class(es) Not applicable.

Hazard label(s)

Not applicable. 14.4 Packing group

14.5 Environmental hazards Not applicable.

Not applicable. 14.6 Special precautions for user

14.7 Transport in bulk Not applicable.

according to Annex II of

MARPOL 73/78 and the IBC

Land transport (ADR/RID) **Inland Waterway transport**

(ADN)

Not regarded as dangerous goods Not regarded as dangerous goods

Sea transport (IMDG)

Air transport (ICAO-TI / IATA-

DGR)

Not regarded as dangerous goods Not regarded as dangerous goods

According to Regulation (EC) No 1907/2006 (REACH)

Trade Name: Brownell Limited **Product No:** Activated Alumina

Version No: MCS/114/MSDS - 02 / EN



Revision Date: 03.01.2017 **Print Date:** 03.01.2017

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations: Not applicable **Restrictions on use:** Not applicable

Other EU Regulations:

Directive 2010/75/EC on industrial emissions

Not listed

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds

Not listed

Regulation (EC) No. 842/2009 on certain fluorinated greenhouse gases

Not listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not Listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not Listed

Regulation (EC) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I,

Part 1 as amended

Not Listed

Regulation (EC) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I,

Part 2 as amended

Not Listed

Regulation (EC) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I,

Part 3 as amended

Not Listed

Regulation (EC) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V

as amended

Not Listed

15.1.2 National regulations Not Available

15.2 Chemical safety assessment Product is not classified as hazardous.

According to Regulation (EC) No 1907/2006 (REACH)

Trade Name: Brownell Limited **Product No:** Activated Alumina

Version No: MCS/114/MSDS - 02 / EN

Revision Date: 03.01.2017 **Print Date:** 03.01.2017

SECTION 16: Other information

[CLP]

08th April 2011 MSDS first issued 16.1 Indication of changes

03rd January 2017 MSDS revision

16.2 Abbreviations and acronyms Not applicable

ECHA European Chemicals agency 16.3 Key literature references and sources for data

16.4 Classification for mixtures and Regulation (EU) No. 1272/2008:

used evaluation method according Classification, labelling and packaging of substances and mixtures. The product does not need to be labelled in accordance with to regulation (EC) 1207/2008

Directive 67/548/EEC.

Not classified as a hazardous substance or mixture according to

Directive 1999/45/EC.

16.5 Relevant R-, H- and EUH-phrases Not applicable

(number and full text)

16.6 Training advice Follow training instructions when handling this material.

16.7 Further information Not available.

Disclaimer The information provided in the SDS is correct to the best of our

knowledge at the date of publication. This document is intended as a

guide for safe handling, storage and use in known industrial applications. The manufacturer makes no representation, warranty

or guarantee as to its accuracy, reliability or completeness nor assumes any liability for its use. It is the users responsibility to confirm in advance that the information is current, applicable and

suitable to their circumstances for each particular use. No representative of ours has authority to waive this provision.